Application No.	Applicant(s)	
09/977,419	BEERING, DAVID R.	
Examiner	Art Unit	
Raj Jain	2664	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
3. The drawings filed on are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 50. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
6. ☐ Interview Sur Paper No./N 8), 7. ☒ Examiner's A	lail Date mendment/Comment tatement of Reasons for Allowance	
	Examiner Raj Jain ars on the cover sheet with (OR REMAINS) CLOSED in tor other appropriate communication is suitand MPEP 1308. der 35 U.S.C. § 119(a)-(d) or been received. been received in Application cuments have been received in ENT of this application. atted. Note the attached EXAMES reason(s) why the oath or contain the submitted. are header according to 37 CFR (Sit of BIOLOGICAL MATER FOR THE DEPOSIT OF BIOLE FOR THE DEPOSIT OF BIOLE (Sit of Sit of S	

Application/Control Number: 09/977,419

Art Unit: 2664

DETAILED ACTION

Drawings

New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because Figs. 1 and 2 are not legible or did not copy correctly. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance:

Claim 1 is allowed. The prior art discloses a method and system for simultaneous data transmission from fixed rate and variable rate sources, which can be synchronized for monitoring and comparing of the two data streams. The prior art further discloses an error correction means for providing error correction to a given data stream.

The prior art however fails to disclose or suggest a satellite communications network with a serial data stream having an ECL signal format and an error correction means or monitoring and comparing the error correction of two differing data streams and providing an error correction value based on the two differing data streams to either the first data stream or the second data stream.

Art Unit: 2664

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raj Jain whose telephone number is 571-272-3145.

The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wellington Chin can be reached on 571-272-3134. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9306 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-

2600.

July 18, 2005

WELLINGTON CHIN
"ERVISORY PATENT EXAMINE"

Page 3